Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	((forget near1 message$1) with (reply near1 message$1)) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 14:27
L2	2	((forget near2 message$1) with (reply near2 message$1)) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 14:27
L3	2	((forget near2 message$1) same (reply near2 message$1)) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 14:27
L4	3	((forget near4 message$1) same (reply near2 message$1)) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 14:29
L5	37	(forget near1 message$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 15:06
L6	404	(replay near1 message$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 15:06
L7	4199	(reply near1 message$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 15:07
L8	812	"709"/$.ccls. and (reply near1 message$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 15:07

L9	114	((reply near1 message$1) with acknowledge$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 15:22
L10	1	("6493726").PN.	USPAT; USOCR	OR	OFF	2005/11/22 15:25
L11	1	("6804333").PN.	USPAT; USOCR	OR	OFF	2005/11/22 15:25
S1	1	("6023684").PN.	USPAT; USOCR	OR	OFF	2005/11/21 10:07
S2	1	("6029147").PN.	USPAT; USOCR	OR	OFF	2005/11/21 10:09
S3	1	("6,122,632").PN.	USPAT; USOCR	OR	OFF	2005/11/21 11:05
S4	0	"709"/$.ccls. and (guarantee and delivery).ti. and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:07
S5	2	"709"/$.ccls. and (guarant$3 and delivery).ti. and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:09
S6	26	(guarant$3 and delivery).ti. and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:16
S7	483	(guarant$3 and delivery).ab. and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 11:16
S8	16	(guarant$3 and (electronic with delivery)).ab. and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 14:24
S9	0	("20040153511").PN.	USPAT; USOCR	OR	OFF	2005/11/21 14:25
S10	1	("20040153511").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/21 14:38

S11	0	("200200498915").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/21 14:38
S12	1	("20020049815").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/21 14:41
S13	1	("20020059365").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/21 14:48
S14	0	"709"/.ccls. and ((deliver$3 with guarante$3) same profile$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 14:50
S15	0	"709"/.ccls. and ((deliver$3 with guarantee) same profile$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 14:50
S16	0	"709"/.ccls. and ((deliver$3 with guarant$3) same profile$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 14:51
S17	0	"709"/.ccls. and ((deliver$3 same guarant$3) same profile$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 14:51
S18	8	"709"/.ccls. and ((deliver$3 and guarant$3) same profile$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 14:58
S19	144	"709"/.ccls. and ((deliver$3 with profile$3)) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 14:58
S20	32	"709"/.ccls. and ((deliver$3 with profile$3)) and guarant$3 and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:02

S21	2625	((deliver$3 with guarant$3)) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:02
S22	1340	((deliver$3 near2 guarant$3)) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:02
S23	9	((deliver$3 near2 guarant$3)) and (delivery near1 profile$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:04
S24	13	((deliver$3 near4 guarant$3)) and (delivery near1 profile$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:06
S25	317	((deliver$3 near4 guarant$3)) and (profile$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:06
S26	229	((deliver$3 near2 guarant$3)) and (profile$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:07
S27	81	"709"/$.ccls. and((deliver$3 near2 guarant$3)) and (profile$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:23
S28	28	"709"/$.ccls. and((deliver$3 near2 profile$3)) and (profile$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:27

S29	0	"709"/$.ccls. and((proxy with delivery near2 profile$3)) and (profile$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:27
S30	0	((proxy with delivery near2 profile$3)) and (profile$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:27
S31	0	((proxy with transmi$5 near2 profile$3)) and (profile$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:28
S32	2	((proxy with delivery$5 with profile$3)) and (profile$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:29
S33	0	((proxy with delivery$5 with policy$3)) and (profile$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:29
S34	30	((delivery$5 with policy$3)) and (profile$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:30
S35	14	((delivery$5 near2 policy$3)) and (profile$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:31
S36	6	((delivery$5 near2 policy$3)) and guarant$5 and (profile$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:34

S37	416	((receiv$3 with guarant$3) and (profile$1) and @ad<="20010102")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:35
S38	78	"709"/$.ccls. and ((receiv$3 with guarant$3) and (profile$1) and @ad<="20010102")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 15:35
S39	26	"709"/$.ccls. and ((receiv$3 with guarant$3) and (host with (profile$1)) and @ad<="20010102")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 16:33
S40	46	((receiv$3 with guarant$3) and (host with (profile$1)) and @ad<="20010102")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 16:34
S41	437	((deliver$3 with guarant$3) and ((profile$1)) and @ad<="20010102")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 16:34
S42	129	"709"/$.ccls. and ((deliver$3 with guarant$3) and ((profile$1)) and @ad<="20010102")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 16:35
S43	0	"709"/$.ccls. and ((deliver$3 with guarant$3).ti. and ((profile$1)) and @ad<="20010102")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 16:35
S44	3	"709"/$.ccls. and ((deliver$3 with guarant$3).ab. and ((profile$1)) and @ad<="20010102")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 16:36

S45	4	"709"/$.ccls. and ((deliver$3 and guarant$3).ab. and ((profile$1)) and @ad<="20010102")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 16:37
S46	380	"709"/$.ccls. and ((deliver$3 and guarant$3) and ((profile$1)) and @ad<="20010102")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 16:37
S47	50	"709"/$.ccls. and ((deliver$3 and guarant$3) and ((profile$1)) and (request near1 reply) and @ad<="20010102")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 16:39
S48	26	"709"/$.ccls. and ((deliver$3 same guarant$3) and ((profile$1)) and (request near1 reply) and @ad<="20010102")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 17:17
S49	0	"709"/$.ccls. and ((deliver$3 same guarant$3) and (request near1 reply) and (send near2 forget near1 reply) and @ad<="20010102")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 17:18
S50	0	"709"/$.ccls. and ((deliver$3 same guarant$3) and (request near1 reply) and (send near2 forget near1 message) and @ad<="20010102")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 17:18
S51	0	"709"/$.ccls. and ((deliver$3 same guarant$3) and (request near1 reply) and (non near1 reply) and @ad<="20010102")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 17:19
S52	0	"709"/$.ccls. and ((deliver$3 same guarant$3) and (request near1 reply) and (non near1 request near1 reply) and @ad<="20010102")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 17:19

S53	0	"709"/$.ccls. and (request near1 reply) and (non near1 request near1 reply) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 17:20
S54	4	"709"/$.ccls. and send near1 forget near1 message and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 17:25
S55	3	"709"/$.ccls. and (forget near1 message$1) and (reply near1 message$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/21 17:25
S56	1	("6,917,979").PN.	USPAT; USOCR	OR	OFF	2005/11/22 09:23
S57	3	wide near1 area near1 client-server and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 09:20
S58	1	("6397352").PN.	USPAT; USOCR	OR	OFF	2005/11/22 09:23
S59	1	("6205482").PN.	USPAT; USOCR	OR	OFF	2005/11/22 09:24
S60	1	("20010032263").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/22 09:24
S61	10	"709"/$.ccls. and ((message$1 near4 deliver$3) with WAN$1) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 09:27
S62	8	"709"/$.ccls. and ((message$1 with deliver$3) with WAN) and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 09:46
S63	14	"709"/$.ccls. and (transmi$5 near1 message$1 with profile$1)and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 09:48

S64	1	"709"/$.ccls. and (transmi$5 near1 message$1 with associat$3 with profile$1)and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 09:49
S65	5	"709"/$.ccls. and (send$5 near1 message$1 with associat$3 with profile$1)and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 09:54
S66	0	"709"/$.ccls. and (message$1 with associat$3 with (transmit$3 near2 profile$1))and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 09:54
S67	5	"709"/$.ccls. and (message$1 with (transmit$3 near2 profile$1))and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 09:57
S68	2	"709"/$.ccls. and (message$1 with (transmit$3 near2 policy$1))and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:06
S69	1	"709"/$.ccls. and (message$1 with (transmission near2 profiles))and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:08
S70	1	"709"/$.ccls. and (message$1 same (transmission near2 profiles))and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:08
S71	1	"709"/$.ccls. and (deliver$3 same (transmission near2 profiles))and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:08

S72	11	(deliver$3 same (transmission near2 profiles))and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:32
S73	1185	(transmission near2 profiles)and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:32
S74	0	email$1 with(transmission near2 profiles)and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:32
S75	1	email$1 with(transmission near4 profiles)and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:34
S76	967	user with(service$1 near4 profiles)and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:35
S77	967	user$1 with (service$1 near4 profiles)and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:35
S78	244	"709"/$.ccls. and user$1 with (service$1 near4 profiles)and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:35
S79	0	"709"/$.ccls. and user$1 with associat43 with (service$1 near4 profiles)and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 10:35

S80	21	"709"/$.ccls. and user$1 with associat$3 with (service$1 near4 profiles)and @ad<="20010102"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/22 12:30
S81	1	("6205,482").PN.	USPAT; USOCR	OR	OFF	2005/11/22 14:25